Cleveland

PRICE LIST

Effective 1st January 2009

CLEVELAND
STEAM COOKING EQUIPMENT

- CONVECTION STEAMERS
- ELECTRIC STEAM KETTLES
- GAS FIRED STEAM KETTLES
- TILTING SKILLETS & BRATT PANS

From the world of Comcater!

COMCATER
- foodservice equipment

SHOULD YOU REQUIRE FURTHER INFORMATION ON PRICING OR ASSISTANCE, PLEASE CONTACT YOUR NEAREST COMCATER OFFICE.

C.C.E INTERNATIONAL PTY LTD ABN 53 005 974 185

CERTIFIED QUALITY MANAGEMENT SYSTEM
IS09001

Victoria (Head Office)
156 Swann Drive, Derrimut Vic 3030
Phone: 03 8369 4600
Fax: 03 8369 4699
Email: sales@comcater.com.au

New South Wales
Unit 20/4 Avenue Of The Americas, Newington NSW 2127
Phone: 02 9748 3000
Fax: 02 9648 4762
Email: nswsales@comcater.com.au

Queensland
1/62 Borthwick Avenue, Murarrie Qld 4172
Phone: 07 3399 3122
Fax: 07 3399 5311
Email: qldsales@comcater.com.au

NATIONAL CUSTOMER SERVICE
Phone: 1800 035 327 Fax: 1800 808 954
Phone: 03 8369 4600 Fax: 03 8369 4699

NATIONAL PRODUCT SUPPORT
Phone: 1800 810 161 Fax: 03 8369 4696
Email: product@comcater.com.au

NATIONAL ADMINISTRATION
Email : admin@comcater.com.au

CLEVELAND STEAM EQUIPMENT

STEAMCRAFT COUNTER TYPE CONVECTION STEAMERS

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
CA1E		Pronto Plus countertop pressure less steam cooker Standard supply with: 1 x 65mm deep solid food container. 1 x 65mm deep perforated food container. Adjustable legs. STANDARD FINISH: Stainless steel front and side panels. POWER REQUIREMENTS: 415 volts three phase	610w 610d 381h	8.0kw	60kg	**$10,235**
21-CET-8		**SteamCraft Ultra 3** heavy duty **counter type** convection steamer with mechanical timer and electric steam generator. **Capacity for 3 x 65mm deep 1/1 gastronorm pans.** STANDARD FINISH: Stainless steel construction and legs. POWER REQUIREMENTS: 415 volts three phase, 11.9 amps.	533w 816d 464h	8.0kw	66kg	**$9,125**
21-CET-16		**SteamCraft Ultra 5** heavy duty **counter type** convection steamer with mechanical timer and electric steam generator. **Capacity for 5 x 65mm deep 1/1 gastronorm pans.** STANDARD FINISH: Stainless steel construction and legs. POWER REQUIREMENTS: 415 volts three phase, 23 amps.	533w 816d 635h	16.5kw	75kg	**$13,570**
24-CEA-10		**SteamCraft Ultra 10** electric **floor model** steamer, 10 pan capacity with mechanical timer. **2 x steam generators with automatic generator blowdown.** STANDARD FINISH: Stainless steel construction and legs. POWER REQUIREMENTS: 415 volts three phase, 46 amps.	610w 887d 1662h	32kw	241kg	**$27,687**
24-CGA-10.2		**SteamCraft Ultra 10, gas, two compartment 10 pan capacity** with mechanical timer. **Steam generators with electronic spark ignition** and automatic generator blowdown. STANDARD FINISH: Stainless steel construction and legs. POWER REQUIREMENTS: 240 volts single phase.	610w 887d 1662h	132mj	260kg	**$29,139**
UNISTAND34		Equipment stand for SteamCraft Ultra 3 and Ultra 5.				**$1,811**

CLEVELAND STEAM EQUIPMENT

ELECTRIC STEAM KETTLES

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
TILTING TABLE TOP SINGLE KETTLES					
KET-3-T 	Electric, self contained, tilting single kettle, **11 litre capacity**, ⅔ steam jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. ***Available in single phase only.** STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: **240 volts single phase, 22.7 amps.**	508w 368d 508h	5.58kw	43kg	**$7,149**
KET-6-T	Electric, self contained, tilting single kettle, **23 litre capacity**, ⅔ steam jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. **Supplied c/w high wattage elements.** STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: **415 volts three phase, 10.5 amps**	597w 425d 578h	8.2kw	54kg	**$9,455**
KET-12-T	Electric, self contained, tilting single kettle, **45 litre capacity**, ⅔ steam jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. **Supplied c/w high wattage elements.** STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: **415 volts three phase, 16.7 amps.**	686w 508d 616h	13kw	82kg	**$11,144**

N.B. Right hand handle is standard. Left hand handle is available at no extra cost and must be specified at time of ordering.

ADDITIONAL ACCESSORIES Optional lids and faucets can be added if required. Refer to optional kettle accessories on pages 16-17 for pricing.

CLEVELAND STEAM EQUIPMENT

ELECTRIC STEAM KETTLES

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
TABLE TOP TWIN KETTLES					
TKET-3-T 	Electric, self contained, tilting twin kettle, **11 litre per side capacity**, ⅔ steam jacketed. ***Available in single phase only.** STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: **240 volts single phase, 45.4 amps.**	875w 465d 510h	10.9kw	60kg	**$15,770**
TKET-6-T	Electric, self contained, tilting twin kettle, **23 litre per side capacity**, ⅔ steam jacketed. **Supplied c/w high wattage elements.** STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: **415 volts three phase, 20.9 amps.**	1120w 535d 580h	16.4kw	73kg	**$18,936**
TKET-12-T	Electric, self contained, tilting twin kettle, **45 litre per side capacity**, ⅔ steam jacketed. **Supplied c/w high wattage elements.** STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: **415 volts three phase, 33.4 amps.**	1285w 605d 615h	26kw	101kg	**$24,465**

N.B. Right hand handle is standard. Left hand handle is available at no extra cost and must be specified at time of ordering.

ADDITIONAL ACCESSORIES Optional lids and faucets can be added if required. Refer to optional kettle accessories on pages 16-17 for pricing.

CLEVELAND STEAM EQUIPMENT

STEAM KETTLE ACCESSORIES

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
STANDARD KETTLE ACCESSORIES					
DPK 	Double Pantry Faucet.				**$645**
FBKT	Faucet Bracket.				**$246**
CL3	Lift-off Cover **3 gal/11lt.**				**$457**
CL6	Lift-off Cover **6 gal/23lt.**				**$457**
CL12	Lift-off Cover **12 gal/45lt.**				**$621**
KETTLE STANDS					
ST-28	Stainless steel 450mm high support stand with drain drawer. **To suit single table top kettle or skillet.**			16kg	**$2,451**
ST-42	Stainless steel 450mm high support stand with drain drawer. **To suit model TKET-3-T or TKET-6-T.**			29kg	**$4,316**
ST-55	Stainless steel 450mm high support stand with drain drawer. **To suit model TKET-12-T.**			34kg	**$4,657**

CLEVELAND STEAM EQUIPMENT

ELECTRIC STEAM KETTLES

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
TILTING FLOOR MOUNTED KETTLES						
KET-20-T		**Lever tilt**, electric, self contained **single kettle with 80lt capacity,** ⅔ steam jacketed. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 15.8 amps.	813w 698d 916h	16.4kw	118kg	**$18,235**
KEL-25-T		Electric, self contained, **tilting kettle** with worm drive tilt mechanism and **100lt capacity,** ⅔ jacketed. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 16.7 amps.	919w 946d 953h	13kw	132kg	**$27,725**
KEL-40-T		Electric, self contained, **tilting kettle** with worm drive mechanism and **150lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 25.1 amps.	1046w 1079d 1003h	19.6kw	163kg	**$30,019**
KEL-60-T		Electric, self contained, **tilting kettle** with worm drive mechanism and **225lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 25.1 amps.	1135w 1162d 1143h	19.6kw	188kg	**$34,129**

CLEVELAND STEAM EQUIPMENT

ELECTRIC STEAM KETTLES

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
KEL-80-T		Electric, self contained **tilting kettle** with worm drive mechanism, **300lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 25.1 amps.	1224w 1270d 1219h	19.6kw	213kg	**$38,725**
KEL-100-T		Electric, self contained, **tilting kettle** with worm drive mechanism, **375lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 25.1 amps.		24.8kw	235kg	**$46,529**

ADDITIONAL ACCESSORIES

Optional lids and faucets can be added if required. Refer to optional kettle accessories on pages 16-17 for pricing.

CLEVELAND STEAM EQUIPMENT

ELECTRIC FLOOR MOUNTED KETTLES

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST

STATIONARY FLOOR MOUNTED KETTLES

KEL-25



Electric self contained **stationary kettle with 100lt capacity**, ⅔ jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. Supplied with 50mm tangent draw-off valve with drain strainer, spring assisted cover and faucet bracket.

STANDARD FINISH:
All exterior surfaces are stainless steel.

POWER REQUIREMENTS:
415 volts three phase, 16.7 amps.

559w 702d 933h | 13kw | 95kg | **$19,735**

KEL-30



Electric self contained **stationary kettle with 110lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. Supplied with 50mm tangent draw-off valve with drain strainer, spring assisted cover and faucet bracket.

STANDARD FINISH:
All exterior surfaces are stainless steel.

POWER REQUIREMENTS:
415 volts three phase, 20.9 amps.

635w 794d 965h | 16.4kw | 105kg | **$20,096**

KEL-40



Electric self contained **stationary kettle with 150lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. Supplied with 50mm tangent draw-off valve with drain strainer, spring assisted cover and faucet bracket.

STANDARD FINISH:
All exterior surfaces are stainless steel.

POWER REQUIREMENTS:
415 volts three phase, 25.1 amps.

686w 829d 1016h | 19.6kw | 127kg | **$20,686**

CLEVELAND STEAM EQUIPMENT

ELECTRIC FLOOR MOUNTED KETTLES

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
KEL-60		Electric self contained **stationary kettle with 225lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. Supplied with 50mm tangent draw-off valve with drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 25.1 amps.	775w 918d 1092h	19.6kw	150kg	**$26,422**
KEL-80		Electric self contained **stationary kettle with 300lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. Supplied with 50mm tangent draw-off valve with drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 25.1 amps.	864w 1006d 1105h	19.6kw	175kg	**$33,495**
KEL-100		Electric self contained **stationary kettle with 375lt capacity**, 2/3 jacketed. Solid state controls for accurate temperature control (±1°C) and low water safety. Supplied with 50mm tangent draw-off valve with drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 415 volts three phase, 25.1 amps.	887w 750d 1162h	24.8kw	195kg	**$38,327**

CLEVELAND STEAM EQUIPMENT

STATIONARY STEAM JACKETED KETTLES - SHORT SERIES (SH)

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST

STATIONARY STEAM JACKETED KETTLES - SHORT SERIES (SH)

KEL-40SH

Cleveland 150lt Electric Stationary Kettle, 886mm rim height, fully steam jacketed, 50psi steam jacket rating, splash proof solid state temperature controls, 51mm tangent draw-off valve with strainer, spring assisted cover and faucet bracket.

STANDARD FINISH:
All exterior surfaces are stainless steel.

POWER REQUIREMENTS:
415 volts three phase, 25.1 amps.

886h closed 1661h open | 18kw | 127kg | **$23,836**

KEL-60SH

Cleveland 225lt Electric Stationary Kettle, 886mm rim height, fully steam jacketed, 50psi steam jacket rating, splash proof solid state temperature controls, 51mm tangent draw-off valve with strainer, spring assisted cover and faucet bracket.

STANDARD FINISH:
All exterior surfaces are stainless steel.

POWER REQUIREMENTS:
415 volts three phase, 25.1 amps.

kw | kg | **$30,847**

TILTING STEAM JACKETED KETTLES - SHORT SERIES (SH)

KEL-40TSH

Cleveland 150lt Electric Tilting Kettle, 889mm rim height, type 304 stainless steel and supports, fully steam jacketed, 50psi steam jacket rating, 3 phase, splash proof solid state temperature controls.

STANDARD FINISH:
All exterior surfaces are stainless steel.

POWER REQUIREMENTS:
415 volts three phase, 25.1 amps.

889h closed 1734h open | 18kw | 188kg | **$34,600**

KEL-60TSH

Cleveland 225lt Electric Tilting Kettle, 889mm rim height, type 304 stainless steel and supports, fully steam jacketed, 50psi steam jacket rating, 3 phase, splash proof solid state temperature controls.

STANDARD FINISH:
All exterior surfaces are stainless steel.

POWER REQUIREMENTS:
415 volts three phase, 25.1 amps.

889h closed 1797h open | 18kw | 213kg | **$41,390**

CLEVELAND STEAM EQUIPMENT

GAS-FIRED STEAM KETTLES

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
TILTING - FLOOR MOUNTED KETTLES					
KGL-25-T 	Gas heated self contained **tilting kettle with 100lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	1071w 944d 1020h	95mj	145kg	**$36,394**
KGL-40-T	Gas heated self contained **tilting kettle with 150lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	1162w 1130d 1029h	148mj	235kg	**$38,696**
KGL-60-T	Gas heated self contained **tilting kettle with 225lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	1254w 1219d 1105h	200mj	255kg	**$45,752**
KGL-80-T	Gas heated self contained **tilting kettle with 300lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	1346w 1276d 1137h	200mj	270kg	**$51,464**
ADDITIONAL ACCESSORIES	Optional lids and faucets can be added if required. Refer to optional kettle accessories on pages 16-17 for pricing.				

CLEVELAND STEAM EQUIPMENT

GAS-FIRED STEAM KETTLES

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
STATIONARY - FLOOR MOUNTED KETTLES						
KGL-25		Gas heated self contained **stationary kettle with 100lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. Supplied with 50mm tangent draw-off valve and drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	717w 995d 905h	95mj	145kg	**$23,432**
KGL-40		Gas heated self contained **stationary kettle with 150lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. Supplied with 50mm tangent draw-off valve and drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	791w 933d 1029h	148mj	205kg	**$25,987**
KGL-60		Gas heated self contained **stationary kettle with 225lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. Supplied with 50mm tangent draw-off valve and drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	870w 991d 1105h	200mj	220kg	**$32,185**
KGL-80		Gas heated self contained **stationary kettle with 300lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. Supplied with 50mm tangent draw-off valve and drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	972w 1029d 1156h	200mj	260kg	**$37,437**

CLEVELAND STEAM EQUIPMENT

GAS-FIRED STEAM KETTLES

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
STATIONARY - FLOOR MOUNTED KETTLES continued						
KGL-100		Gas heated self contained **stationary kettle with 375lt capacity**. Solid state controls for accurate temperature control (±1ºC) and low water safety. Supplied with 50mm tangent draw-off valve and drain strainer, spring assisted cover and faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	1016w 1073d 1207h	200mj	280kg	**$43,122**

January 2009

CLEVELAND STEAM EQUIPMENT

GAS-FIRED STEAM KETTLES - SHORT SERIES

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
STATIONARY - FLOOR MOUNTED KETTLES - SHORT SERIES						
KGL-40SH		**Cleveland 150lt Gas-fired Stationary Kettle,** 878mm rim height, fully steam jacketed, 50psi steam jacket rating, double pass steam generator, power burner system, splash proof solid state temperature controls, automatic hot-surface ignition. 51mm tangent draw off valve with strainer, spring assisted cover & faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	878h closed 1752h open	201mj	235kg	**$27,997**
KGL-60SH		**Cleveland 225lt Gas-fired Stationary Kettle,** 883mm rim height, fully steam jacketed, 50psi steam jacket rating, double pass steam generator, power burner system, splash proof solid state temperature controls, automatic hot-surface ignition. 51mm tangent draw off valve with strainer, spring assisted cover & faucet bracket. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	883h closed 1803h open	201mj	255kg	**$35,437**
TILTING - FLOOR MOUNTED KETTLES - SHORT SERIES						
KGL-40TSH		**Cleveland 150lt Gas Fired Tilting Kettle,** 965mm rim height, type 304 stainless steel and supports, fully steam jacketed, 50psi steam jacket rating, double pass steam generator, power burner system, splash-proof solid state temperature controls, automatic hot surface ignition. STANDARD FINISH: All exterior surfaces are stainless steel. POWER REQUIREMENTS: 240 volts single phase.	965h closed 1930h open	145mj	286kg	**$45,534**

CLEVELAND STEAM EQUIPMENT

DIRECT STEAM JACKETED KETTLES - SHORT SERIES (SH)

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST

STATIONARY DIRECT STEAM JACKETED KETTLES - SHORT SERIES (SH)

KDL-40SH

Cleveland Direct Steam Stationary Kettle, 815mm rim height, **150lt capacity,** fully steam jacketed, 50psi steam jacket rating, spring assisted rotable domed cover, faucet bracket, 51mm tangent draw-off valve with drain strainer, and steam control valves.

STANDARD FINISH:
All exterior surfaces are stainless steel.

815h closed 1590h open | 104kg | **$16,724**

KDL-60SH

Cleveland Direct Steam Stationary Kettle, 884mm rim height, **225lt capacity,** fully steam jacketed, 50psi steam jacket rating, spring assisted rotable domed cover, faucet bracket, 51mm tangent draw-off valve with drain strainer, and steam control valves.

STANDARD FINISH:
All exterior surfaces are stainless steel.

884h closed 1748h open | 150kg | **$20,097**

KDL-80SH

Cleveland Direct Steam Stationary Kettle, 884mm rim height, **300lt capacity,** fully steam jacketed, 50psi steam jacket rating, spring assisted rotable domed cover, faucet bracket, 51mm tangent draw-off valve with drain strainer, and steam control valves.

STANDARD FINISH:
All exterior surfaces are stainless steel.

884h closed 1811h open | 180kg | **$22,646**

CLEVELAND STEAM EQUIPMENT

TILTING STEAM JACKETED KETTLES - SHORT SERIES (SH)

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
KDL-40TSH		**Cleveland 150lt Direct Steam Tilting Kettle,** 889mm rim height, type 304 stainless steel and supports, fully steam jacketed, 50psi steam jacket rating. STANDARD FINISH: All exterior surfaces are stainless steel.	889h closed 1734h open		157kg	**$19,484**
KDL-60TSH		**Cleveland 225lt Direct Steam Tilting Kettle,** 889mm rim height, type 304 stainless steel and supports, fully steam jacketed, 50psi steam jacket rating. STANDARD FINISH: All exterior surfaces are stainless steel.	889h closed 1797h open		184kg	**$22,864**
KDL-80TSH		**Cleveland 300lt Direct Steam Tilting Kettle,** 889mm rim height, type 304 stainless steel and supports, fully steam jacketed, 50psi steam jacket rating. STANDARD FINISH: All exterior surfaces are stainless steel.	889h closed 1937h open		209kg	**$26,890**

CLEVELAND STEAM EQUIPMENT

STEAM KETTLE ACCESSORIES

Product Code	Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
FAUCETS					
DPK 	Double pantry faucet.				**$645**
FBKT	Faucet bracket.				**$246**
TANGENT DRAW-OFF VALVES					
TD-2 	50mm tangent draw-off valve (can not be deducted from stationary kettles). Available on 100 lt and larger kettles. Supplied standard with drain strainer.				**$2,522**
TD-3	75mm tangent draw-off valve (deduct price for TD-2 from stationary kettle price list).				**$4,457**

CLEVELAND STEAM EQUIPMENT

STEAM KETTLE ACCESSORIES

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
LIFT OFF LIDS						
CL 20		Lift off cover for **80lt kettle.**				**$669**
CL 25		Lift off cover for **100lt kettle.**				**$974**
CL 40		Lift off cover for **150lt kettle.**				**$1,161**
CL 60		Lift off cover for **225lt kettle.**				**$1,267**
CL 80		Lift off cover for **300lt kettle.**				**$1,477**
CL 100		Lift off cover for **375lt kettle.**				**$1,654**
SPRING ASSIST COVERS						
CHS 25		Spring assist cover for **100lt kettle.**				**$2,545**
CHS 40		Spring assist cover for **150lt kettle.**				**$3,085**
CHS 60		Spring assist cover for **225lt kettle.**				**$3,237**
CHS 80		Spring assist cover for **300lt kettle.**				**$3,649**
CHS 100		Spring assist cover for **375lt kettle.**				**$4,141**

CLEVELAND STEAM EQUIPMENT

TILTING SKILLETS

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
TABLE TOP						
SET-10		**Rectangular** electric self contained tilting skillets with **42lt capacity**. POWER REQUIREMENTS: 415 volts three phase.	473w 718d 514h	7.8kw	91kg	**$15,414**
SET-15		**Round** electric self contained tilting skillets with **68lt capacity**. POWER REQUIREMENTS: 415 volts three phase.	673w 724d 526h	7.8kw	73kg	**$13,677**
ADDITIONAL SKILLET ACCESSORIES						
SCL-10		Lift off cover for **SET-10**.				**$889**
SCL-15		Lift off cover for **SET-15**.				**$686**
SUPPORT STAND						
ST-28		Stainless steel 450mm high support stand with drain drawer,suitable for SET-10 and SET-15.			16kg	**$2,379**

CLEVELAND STEAM EQUIPMENT

BRATT PANS

Product Code		Description	Equipment Dimensions	Energy Rating	Shipping Weight	Sell Price ex GST
GAS TILTING BRATT PAN						
SGL-30-TR		Tilting skillet, Durapan gas open base. **120 litre capacity**. 3 amp. Motorised tilt control. Add HTS for manual tilt control option (SGL-30-TR-HTS).	914w 851d 968h	96mj	227kg	**$25,450**
SGL-40-TR		Tilting skillet, Durapan gas open base. **150 litre capacity**. 3 amp. Motorised tilt control. Add HTS for manual tilt control option (SGL-40-TR-HTS).	1219w 1118d 968h	138mj	318kg	**$27,745**
ELECTRIC TILTING BRATT PAN						
SEL-30-TR		Tilting skillet, Durapan electric open base. **120 litre capacity**. Motorised tilt control. Add HTS for manual tilt control option (SEL-30-TR-HTS). POWER REQUIREMENTS: 415 volts three phase, 20 amps	914w 851d 968h	14.4kw	182kg	**$21,334**
SEL-40-TR		Tilting skillet, Durapan electric open base. **150 litre capacity**. Motorised tilt control. Add HTS for manual tilt control option (SGL-40-TR-HTS). POWER REQUIREMENTS: 415 volts three phase, 25 amps.	1219w 1118d 968h	18kw	195kg	**$23,799**

OPTIONAL ACCESSORIES & EXTRAS

PCS	Tilting pan support carrier stainless steel.	**$797**
SPS14	Single Pantry Faucet	**$797**
DPS14	Double Pantry Faucet	**$810**
PT1	Power Tilt with Hand Tilt Overide	**$599**
HTS	Manual Tilt Option	**N/C**

NOTES

STANDARD TERMS AND CONDITIONS

COMCATER GROUP (the "supplier") comprises:
CCE International Pty Ltd (ABN 53 005 974 185)
Commercial Catering Equipment Pty Ltd (ABN 24 005 587 253)
Comcater Pty Ltd (ABN 65 006 367 451)

1 Unless otherwise advised in writing by the supplier to the customer, and notwithstanding any statement to the contrary which may be contained in the customer's order, these terms and conditions apply to all transactions between the supplier and the customer. These terms and conditions of sale may be varied by the supplier at any time by notice in writing to the customer.

2 Quotations provided by the supplier are an invitation to treat and not an offer to sell the goods the subject of the quotation by the supplier. An agreement for sale of the goods arises when an order for the goods is placed by the customer and:
(a) that order is accepted by the supplier in writing; or
(b) the order is otherwise satisfied or performed in whole or in part by the supplier.

3 (a) All prices quoted and any other charges applicable will be exclusive of GST (as defined in the *A New Tax System (Goods and Services Tax) Act 1999* (Cth)). GST will be payable by the customer upon the supply of goods.
(b) Price quotes are subject to variation without notice.
(c) All goods will be supplied in carton quantity only. Customer order quantity will be adjusted to nearest carton quantity.
(d) The Cambro product range is also sold in carton quantities only. If broken packs are required, there will be a broken pack surcharge of $20 per pack. Minimum Cambro order is $200 Nett excluding tax.

4 The customer may withdraw or cancel any order placed prior to acceptance by the supplier. Where in the discretion of the supplier cancellation is otherwise accepted, the customer shall pay to the supplier an amount equivalent to twenty per cent of the agreed price of the goods by way of liquidated damages. Orders for non-stock items may NOT be cancelled or returned under any circumstances.

5 Delivery of equipment and accessories shall be effected F.I.S. to the capital city in the state in which the order is placed. Such delivery shall only be made to ground floor or kerbside goods receiving areas. Delivery of spare parts shall be effected FOB our Victorian warehouse.

6 Any time given for delivery of goods is an estimate only. The supplier shall not be liable for any loss or damage whatsoever by reason of any delays in delivery of the goods and the customer shall not be relieved of any obligation to accept or pay for the goods by reason of such delay. If the supplier, in its sole and absolute discretion, determines that it is or may be unable to complete its obligations within a reasonable time or at all, the contract may be terminated by the supplier. In the event of termination, the customer shall have no claim against the supplier for any damage, loss, cost or expense whatsoever.

7 (a) The goods shall be subject to a materials and labour warranty for 12 months following delivery, in any case where the goods are found to be defective in materials, manufacture or workmanship. This warranty applies only for the benefit of the customer and is void if installation or operation is not in accordance with the manufacturer's instructions and recommendations. Furthermore, all warranty work must be conducted by the supplier's staff or its authorised service agents. All warranty calls are to be placed and authorised through the supplier's branch offices.
(b) All warranty work will be undertaken in normal working hours from Monday – Friday 8am – 4pm. Penalty rates for after hours service apply and when charged, the excess between normal hour labour rates and penalty rates will be the customers responsibility. Equipment such as Server products, Maxximum blenders and other small equipment are classed as 'carry in' items. These items are to be returned to the supplier or its Authorised Service Agent workshop for repair. Transport/freight costs to and from the customer for 'carry in' items are to be covered by the customer. If the customer requests on site service (an option always available to the customer) the customer will be charged callout and travelling costs; the labour for warranty repair time on site will be covered by the supplier.

8 Save and except for the express warranty set out above, and to the maximum extent permitted by law, all conditions and warranties which may at any time be implied by law (including the common law, the *Trade Practices Act*, the *Fair Trading Act* and the *Goods Act*) are excluded. To the extent that these cannot be excluded and where the law permits, the supplier's liability in respect of any such condition or warranty shall be limited at the option of the supplier to the repair or replacement of the goods or the supply of equivalent goods or the payment of the costs of replacing or repairing the goods or having them replaced or repaired.

9 The customer must assume full risk of loss or damage to the goods immediately upon delivery. Pending payment in full for the goods, the customer must not supply any of the goods to any person outside of its ordinary or usual course of business, must not allow any person to have or acquire any security interest in the goods, and must insure the goods for the full insurable or replacement value (whichever is the higher), with an insurer licensed or authorised to conduct the business of insurance in the place where the customer carries on business.

10 Notwithstanding clause , title to the goods remains with the supplier until the supplier has received payment of the purchase price of the goods and the purchase price of any other goods or services previously or subsequently supplied by the supplier to the customer, whereupon such title shall pass to the customer.

11 Until such time as title to the goods passes to the customer, the customer:
(a) holds the goods as the fiduciary agent of the supplier and remains liable to account to the supplier for the goods;
(b) will, if directed by the supplier, store the goods marked in such a way that it is clear that the goods are the property of the supplier, but all costs of storage (whether or not at the direction of the supplier) will be paid by the customer; and
(c) irrevocably gives the supplier (and its servants and agents) leave and licence without the necessity of giving any notice to enter at any time on and into any premises occupied by the customer, forcibly, if necessary, to inspect, search for and remove any of the goods supplied by the supplier.

12 Subject to clause 13, the customer shall be entitled to sell the goods in the ordinary course of its business. If the goods are sold by the customer prior to the time when title passes to the customer, then:
(a) the customer must keep separate records in relation to the proceeds of the sale of any goods which have not been paid for,
(b) the customer agrees that it holds the proceeds of resupply of the goods on trust for and as agent for the supplier immediately when they are receivable or are received and that the supplier has the right to trace the proceeds of sale,
(c) the customer agrees that it must either pay the amount of the proceeds of resupply to the seller immediately when they are received or pay those proceeds into an account with a bank or a financial institution or deposit taking institution as trustee for the seller,
(d) the customer agrees that any accessory or item added to any of the goods by an act of the customer or any person at the direction or request of the customer becomes and remains the property of the supplier until the supplier has received payment of the purchase price of the goods in accordance with clause 10 when the property in the goods (including the accessory) passes to the customer,
(e) for the avoidance of doubt, if any goods are used in a manufacturing process or mixed with other materials, the customer must record the value of goods so consumed in relation to each unit of finished product and upon sale of any unit of finished product, immediately remit that amount from the proceed of sale to the supplier. The customer must provide to the supplier monthly or quarterly records of such use.

13 The customer's right to sell the goods in the ordinary course to its business:-
(a) may be revoked at any time by the seller giving notice to that effect if the customer is in default for longer than seven days in the payment to any sum whatsoever due to the supplier;
(b) shall automatically cease if a receiver, controller, liquidator or administrator is appointed to the assets, undertaking or property of the customer, or a winding up order against the customer is made or petitioned, or any petition or order in bankruptcy against the customer is presented or made, or the customer goes into voluntary liquidation or calls a meeting of or makes arrangements or compositions with its creditors.

14 Upon revocation of the customer's right of sale pursuant to clause 13, the customer shall place the goods at the disposal of the supplier who shall be entitled to enter any premises of the customer for the purpose of removing the goods and to remove the goods from the said premises. If the goods have been sold pursuant to clause 12, the customer must pay to the supplier the proceeds then held by the customer as trustee for the supplier.

15 The invoiced amount for the goods is to be paid by the customer to the supplier no later than the last day of the month following the month in which the invoice is first issued ("the due date"). Where the customer fails to effect payment within this period, the supplier may at its discretion and without attracting any liability to the customer withhold delivery of all other goods for which orders have been placed by the customer and accepted by the supplier.

16 Where payment is not made on the due date, interest on the amount outstanding is payable at the rate of 1% above the supplier's overdraft rate from time to time, calculated from the due date of the payment until payment is made in full.

17 Should the customer's account exceed the supplier's trading terms and be passed over for collection, all costs relating to the recovery of those debts (including agency's commissions, solicitor's and counsel's fees, court costs and out of pocket expenses) must be paid the customer.

18 These terms and conditions shall at all times be governed, construed and interpreted according to the law of the State of Victoria and the customer hereby irrevocably submits to the non-exclusive jurisdiction to the courts of that State and all courts of appeal therefrom.

19 Where the customer is an individual, sole trader, partnership or small business, the individual(s) identified on the First Page (**Individuals**) acknowledge, consent and agree that the Individuals have been notified by the supplier that, in accordance with the *Privacy Act 1988* (Cth) (**Privacy Act**):
(a) the supplier may provide such information about the Individuals as is permitted by the Privacy Act to a credit reporting agency to obtain a consumer credit report about the Individuals and to allow the credit reporting agency to create or maintain a credit information file containing information about the Individuals;
(b) the supplier may obtain a consumer credit report containing information about the Individuals from a credit reporting agency for the purpose of assessing the application for commercial credit by the Individuals and to collect overdue payments in respect of commercial credit owed by the Individuals;
(c) the supplier may exchange such information about the Individuals credit worthiness, credit standing, credit history or credit capacity with other credit providers to assess an application for credit by the Individuals, to assess the credit worthiness of the Individuals, to notify other credit providers of a default by the Individuals and to exchange information with other credit providers as to the status of this loan where the Individuals are in default with other credit providers;
(d) the supplier may give a guarantor of the customer's liability a credit report containing information about the Individuals' credit worthiness, credit standing, credit history or credit capacity, to keep the guarantor informed about the guarantee;
(d) the information may be exchanged before, during or after the provision of credit to the customer; and
(e) the Individuals can access the personal information that the supplier holds about them, subject to some exceptions permitted by law.

20 In the event that the customer is in default in payment of any amount owing to the supplier for period in excess of 120 days, the customer hereby charges all real estate owned by the customer at the time of the default with payment of all amounts outstanding to the supplier including interest calculated in accordance with clause and authorises the supplier to lodge a caveat for registration upon all properties so charged. The customer further agrees to execute a mortgage or mortgages in registrable form at the request of the supplier. A statement or certificate signed by a duly authorised officer of the supplier as to the goods supplied to and the indebtedness of a customer shall be prima facie evidence thereof. Should your account exceed our trading terms and be passed over for collection all cost including agencies commission, solicitors fees, court costs and out of pocket expenses are the liability of the customer.

21 Any claim for transport damage, short supply of goods or return for credit must be received within 14 days of receipt of goods for it to be considered.

22 Goods returned for credit may incur a restocking fee equal to the percentage of the value of the items returned as indicated on the invoice. Authorisation for return of goods must be sought before the goods are returned.

Updated: June 2008

From the world of Comcater!

National Customer Service Hotline

1800 035 327

Victoria (Head Office)
156 Swann Drive
Derrimut Vic 3030
Phone: 03 8369 4600
Fax: 03 8369 4699
Email: sales@comcater.com.au

New South Wales
Unit 20/4 Avenue Of The Americas,
Newington, NSW, 2127
Phone: 02 9748 3000
Fax: 02 9648 4762
Email: nswsales@comcater.com.au

Queensland
1/62 Borthwick Avenue
Murarrie Qld 4172
Phone: 07 3399 3122
Fax: 07 3399 5311
Email: qldsales@comcater.com.au

COMCATER
- foodservice equipment